

GCE

Biology B (Advancing Biology)

Unit **H422A/02**: Scientific literacy in biology

Advanced GCE

Mark Scheme for June 2017

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

Question			Answer	Marks	Guidance
1	(a)	(i)	(in) thylakoid / grana / lamellae ✓	1	
		(ii)	(plant thylakoids in) chloroplast(s) / stacks/grana ora ✓ (cyanobacteria thylakoids) near, cell surface membrane / cell wall ✓	2	IGNORE ref to thylakoids attached (to cell surface membrane)
		(iii)	stroma (in chloroplast) ✓ carboxysomes (in cytoplasm) ✓	2	
		(iv)	increased CO ₂ , around Rubisco / in carboxysomes ✓ (therefore) CO ₂ , binds to / AW , Rubisco not O ₂ ✓ (Membrane-bound) pumps for HCO ₃ ⁻ (entry into cell)✓ carbonic anhydrase for CO ₂ (entry into carboxysome)/ conversion of HCO ₃ ⁻ ✓	3 max	ACCEPT <i>idea of</i> CO ₂ outcompetes O ₂

Question			Answer	Marks	Guidance
1	(b)	(i)	different <u>concentrations</u> of enzyme (in the different types of tobacco plants) ✓	1	
		(ii)	<ul style="list-style-type: none"> • correct axis labels AND both axes scaled appropriately ✓ • three data sets plotted AND correctly identified / labelled ✓ • all points correctly plotted to within \pm half square AND plots joined by straight lines OR appropriate line of best fit ✓ • SD / error bars, plotted for all data points ✓ 	4	i.e. x-axis label: CO ₂ concentration / $\mu\text{mol dm}^{-3}$ y-axis label: (mean) rate / mol CO ₂ fixed per mol active sites s ⁻¹

Question		Answer	Marks	Guidance
	(b) (iii)	<p><i>yes because</i></p> <p>(carboxylase) activity / rate is, greater in modified tobacco plants (than in wild type) ✓</p> <p>data quoted to support this conclusion, including correct units used at least once ✓</p> <p>differences (between modified and wild type) are , (statistically) significant / not due to chance ✓</p> <p>(between modified and wild type) error bars do not overlap / all SDs are small ✓</p> <p><i>however</i></p> <p>only three CO₂ concentrations tested ✓</p>	3 max	<p>ALLOW named modified tobacco plant only if clear comparison with wild type</p> <p>1 rate for, RbcX/M35, and wildtype</p>
	(iv)	<p><i>valid because</i></p> <p>M35 has higher rate of, CO₂ fixation/carboxylase activity (at all concentrations) ✓</p> <p><i>not valid because</i></p> <p>error bars overlap so, differences due to chance / not statistically significant ✓</p> <p>large(r) SD so more variation in results ✓</p>	2 max	

	(c)	<p>Summary of instructions to markers: <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.)</i> <i>Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.</i> <i>Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</i></p> <ul style="list-style-type: none">○ <i>award the higher mark where the Communication Statement has been met.</i>○ <i>award the lower mark where aspects of the Communication Statement have been missed.</i> <ul style="list-style-type: none">• The science content determines the level.• The Communication Statement determines the mark within a level.
--	-----	--

	(c)	<p>Level 3 (5–6 marks) A comprehensive account of the risks and benefits of growing supercrops. The points are clearly linked to the article and their (wider) relevance discussed.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured and uses scientific terminology at an appropriate level. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) An account of some risks and benefits of growing supercrops. Some of these points are linked to the article and some discussion of their (wider) relevance.</p> <p><i>There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented in the most part relevant and supported by some evidence.</i></p>	6	<p>Indicative scientific points may include</p> <p>Risks: Modified plants may outcompete wild type plants Dominate or disrupt ecosystems Reduce biodiversity (inserted) genes transferring to wild plants (inserted) genes enter the food chain no information about how modified crops might affect human health herbicide resistant crops leads to superweeds</p> <p>Benefits: Increase in primary productivity of food crops Improved, agricultural yields Could produce more food Upgrading wild plants would make whole ecosystems more productive Increased photosynthesis would reduce carbon emmissions / greenhouse gases Increased photosynthesis would allow growth/high yield, in all, climates/weather</p>
--	-----	---	---	---

			<p>Level 1 (1–2 marks) An account of the risks or benefits of growing supercrops, with reference or a quote from the article. No discussion of wider relevance.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>		
--	--	--	--	--	--

Question			Answer	Marks	Guidance																				
2	(a)	(i)	Meiosis ✓	1	IGNORE ref to I or II																				
		(ii)	<table border="1"> <thead> <tr> <th>Event</th> <th>Type of nuclear division</th> <th>Stage in nuclear division</th> <th></th> </tr> </thead> <tbody> <tr> <td>Chromosomes line up on the equator; there is no association between homologous chromosomes.</td> <td>mitosis</td> <td>(early / late) metaphase</td> <td>✓</td> </tr> <tr> <td>Homologous chromosomes form bivalents.</td> <td>meiosis</td> <td>prophase I</td> <td>✓</td> </tr> <tr> <td>Homologous chromosomes separate and are pulled to opposite poles.</td> <td>meiosis</td> <td>anaphase I</td> <td>✓</td> </tr> <tr> <td>Crossing over occurs.</td> <td>meiosis</td> <td>prophase I</td> <td>✓</td> </tr> </tbody> </table>	Event	Type of nuclear division	Stage in nuclear division		Chromosomes line up on the equator; there is no association between homologous chromosomes.	mitosis	(early / late) metaphase	✓	Homologous chromosomes form bivalents.	meiosis	prophase I	✓	Homologous chromosomes separate and are pulled to opposite poles.	meiosis	anaphase I	✓	Crossing over occurs.	meiosis	prophase I	✓	4	1 mark per row – needs correct type and stage
Event	Type of nuclear division	Stage in nuclear division																							
Chromosomes line up on the equator; there is no association between homologous chromosomes.	mitosis	(early / late) metaphase	✓																						
Homologous chromosomes form bivalents.	meiosis	prophase I	✓																						
Homologous chromosomes separate and are pulled to opposite poles.	meiosis	anaphase I	✓																						
Crossing over occurs.	meiosis	prophase I	✓																						
	(b)	(i)	<p>(rising level of oestrogen) inhibits FSH / causes secretion of LH ✓</p> <p>LH causes, maturation of follicles / release of secondary oocyte / ovulation ✓</p> <p>(LH causes) development of corpus luteum (after secondary oocyte release)✓</p>	2 max																					

Question	Answer	Marks	Guidance
(ii)	<p>oestrogen production remains high (for most of adulthood) ✓</p> <p>(primary) oocytes are paused in prophase I (of meiosis) ✓</p> <p><i>idea that</i> (high) oestrogen cause, completion /continuation, of meiosis I ✓</p> <p>(so) forms secondary oocyte ✓</p> <p>(secondary oocyte) is paused in (metaphase of) meiosis II ✓</p>	3 max	ALLOW suitable age range (e.g. from 12 to 50)

Question		Answer	Marks	Guidance
(c)	(i)	<p>D1 follicle number decreases with age / negative correlation ✓</p> <p>D2 (the reduction is) exponential / a logarithmic relationship ✓</p> <p>D3 rapid / AW, decline after about 40 years ✓</p> <p>E1 as (some) follicles, mature / rupture / release oocytes ✓</p> <p>E2 (other) follicles, disappear over time / undergo apoptosis ✓</p> <p>E3 (because) <u>oestrogen</u> declines from about 40 years ✓</p>	4 max	<p>ALLOW max 2 for D and max 2 for E, marks</p> <p>DO NOT ALLOW idea of no change between birth and puberty</p>
	(ii)	menopause ✓	1	
	(iii)	<p>Any two for one mark from:</p> <p>change in regularity of periods</p> <p>heart pounding / high heart rate</p> <p>night sweats</p> <p>flushed skin / hot flushes</p> <p>insomnia / (increased) anxiety / depression</p> <p>vaginal dryness</p> <p style="text-align: right;">✓</p>	1 max	Mark first two answers only

Question			Answer	Marks	Guidance
3	(a)	(i)	homeostasis ✓	1	IGNORE negative feedback
		(ii)	chemoreceptors ✓ <u>medulla oblongata</u> ✓ parasympathetic ✓ negative feedback ✓	4	
		(iii)	an objective / quantitative measurement OR level of pain is (too) subjective ✓ <i>idea that heart rate is controlled by the autonomic nervous system</i> ✓	1 max	
	(b)	(i)	(opening of VGSC leads to) Na ⁺ / sodium ions, entering, cell/neurone/receptor ✓ (leads to production of) generator potential ✓ (if potential) exceeds the threshold value / reaches -50mV ✓ positive feedback / more VGSCs open ✓ (this) creates an <u>action potential</u> ✓	3 max	DO NOT ALLOW Na ⁺ / sodium ions, entering membrane
		(ii)	drugs will not interfere with other types of VGSC ✓ other parts of the nervous system, continue to function / generate action potentials ✓	2	

Question		Answer	Marks	Guidance
	(c) (i)	DNA, cut/ fragmented, using, restriction enzymes / endonucleases ✓ separate fragments using gel electrophoresis ✓ sequence fragments / add labelled probe ✓ compare to database / DNA samples from other individuals ✓	2 max	ACCEPT any valid method of labelling
	(ii)	greater risk of, developing breast cancer / having mutated gene, if have family history ✓ high cost means screening must be restricted ✓ living relative needed to identify faulty gene ✓ (this gene) tested for in the individual / predictive testing ✓	2 max	

Question			Answer	Marks	Guidance																			
4	(a)	(i)	<p>A adenine / <u>purine</u> ✓</p> <p>B <u>deoxyribose</u> / pentose ✓</p> <p>C phosphate ✓</p>	3																				
		(ii)	<table border="1"> <thead> <tr> <th rowspan="2">DNA strand</th> <th colspan="4">Percentage of each base</th> </tr> <tr> <th>A</th> <th>C</th> <th>G</th> <th>T</th> </tr> </thead> <tbody> <tr> <td>strand 1</td> <td>25</td> <td>(35)</td> <td>(22)</td> <td>18</td> </tr> <tr> <td>strand 2</td> <td>(18)</td> <td>22</td> <td>35</td> <td>25</td> </tr> </tbody> </table> <p style="text-align: right;">✓✓</p>	DNA strand	Percentage of each base				A	C	G	T	strand 1	25	(35)	(22)	18	strand 2	(18)	22	35	25	2	2 rows correct = 2 marks 1 row correct = 1 mark
DNA strand	Percentage of each base																							
	A	C	G	T																				
strand 1	25	(35)	(22)	18																				
strand 2	(18)	22	35	25																				
4	(b)		<p>hydrogen bonds broken by <u>helicase</u> (to separate the strands) ✓</p> <p>hydrogen bonds between free nucleotide and exposed (template) base ✓</p> <p>2 bonds between A & T and 3 between C & G ✓</p> <p>complementary, bases / base pairing ✓</p> <p>joins, DNA strands / polynucleotides / old strand and new strand ✓</p>	2 max	DO NOT ALLOW hydrolyses hydrogen bond																			

Question	Answer	Marks	Guidance
(c)	<p>Mutation / fault / damage, in <u>DNA</u> is not removed ✓</p> <p>(this) increases (general) mutation rate / accumulation of DNA damage ✓</p> <p>(increased) mutation in proto-oncogenes / tumour suppressor genes ✓</p> <p>apoptosis, is not triggered/does not occur ✓</p> <p>(leads to) uncontrolled, mitosis / cell division ✓</p>	3 max	Look for linking of faulty DNA repair mechanisms with increase in mutation rate.

Question			Answer	Marks	Guidance
5	(a)	(i)	contains (purified) <u>antigens</u> ✓ from (several) different strains ✓	1 max	
		(ii)	vaccine does not contain any, bacterial genetic material / virulence factor ✓ vaccine does not contain bacteria that could replicate ✓	1	IGNORE ref to viruses ALLOW DNA / nucleic acid / nucleus DO NOT ALLOW RNA
		(iii)	(because) related strains of bacteria have, similar/ same, antigens / glycoproteins /surface proteins ✓ antibodies (produced after vaccine), recognise / AW, antigens on (these) related strains of bacteria ✓	2	

5	(b)	<p>Summary of instructions to markers: <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.)</i></p> <p><i>Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.</i></p> <p><i>Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</i></p> <ul style="list-style-type: none"><i>○ award the higher mark where the Communication Statement has been met.</i><i>○ award the lower mark where aspects of the Communication Statement have been missed.</i> <ul style="list-style-type: none">• The science content determines the level.• The Communication Statement determines the mark within a level.
---	-----	--

	<p>Level 3 (5–6 marks) A comprehensive evaluation of the importance of herd immunity in the control of epidemics, including risks and benefits of vaccination. A reasoned conclusion is drawn about the benefits to society and/or the individual resulting from herd immunity including ethical issues.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured and uses scientific terminology at an appropriate level. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) A limited evaluation of the importance of herd immunity, with some reference to risks and/or benefits. An attempt is made to link ethical issues with the benefits of herd immunity.</p> <p><i>There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented in the most part relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) A description of herd immunity and link to epidemics. Little or no mention of risks or ethical issues.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks No response or no response worthy of credit.</p>	<p>6</p> <p>20</p>	<p>Indicative scientific points may include:</p> <p>Epidemic is a sudden increase in incidence of infectious disease in an area.</p> <p><u>Herd immunity</u> Successful vaccination programme requires large population to be immune. Can eradicate an infectious disease Reduces chances of pathogen being passed on, so reduces risk of epidemics. Requires 80 – 95% of population to be immune. Depends on how easily pathogen is spread. Reference to ring vaccination.</p> <p><u>Vaccination risks</u> Live-attenuated vaccines may revert and cause disease. Possibility of allergic reaction / anaphylaxis / side effects. May not be effective in all individuals due to genetic differences Reference to discredited study of MMR risks.</p> <p><u>Ethical issues</u> Balance between individual’s right to refuse consent and need to establish minimum immunity levels. Herd immunity protects those who cannot be immunised. Helps to eradicate a pathogen so it cannot spread to other countries where immunisation levels low due to socioeconomic reasons Helps to contain the spread so it doesn’t reach those who cannot be immunised</p>
--	--	--------------------	--

Question			Answer	Marks	Guidance
6	(a)	(i)	(correct determination of P_{50} for both curves) normal = 3.5 and anaemia = 4.5 ✓ (calculation of % increase to 3 sig. figs) 28.6 ✓	2	ALLOW +/- 0.2 for each P_{50} value ALLOW ECF from incorrect P_{50} values
		(ii)	Hb/its, affinity (for O_2) would decrease / reduce ✓ oxyhaemoglobin, dissociates at <u>higher</u> pO_2 / has lower (%) saturation (than normal control) at same pO_2 ✓ (limited) haemoglobin releases oxygen more, easily / readily ✓ so <u>more</u> oxygen to (respiring) tissues ✓	3	
	(b)	(i)	(plasmolysis) occurs in plant cells / erythrocyte is not a plant cell ✓	1	
		(ii)	allow time for equilibration before observation OR observe immediately and after 10 – 15 min ✓ use more concentrations ✓ count cells using , haemocytometer measure (diameter of) cells using, scale / graticule ✓	2 max	ALLOW other valid improvements

Question			Answer	Marks	Guidance
7	(a)	(i)	<p>D = <u>plasma</u> / cell surface , membrane ✓</p> <p>E = Golgi (body / apparatus) ✓</p> <p>F = (secretory) vesicle ✓</p> <p>G = nuclear , envelope / membrane ✓</p> <p>H = <u>rough</u> endoplasmic reticulum / <u>RER</u> / ribosome ✓</p>	5	<p>ALLOW lysosome</p> <p>ALLOW nucleus</p>
		(ii)	<p>H = site of protein synthesis ✓</p> <p>H = (allows for) folding of (glyco) proteins / secondary structure formation / tertiary structure formation ✓</p> <p>J = synthesis / storage / transport , of , lipids / phospholipids / carbohydrates ✓</p>	3	<p>ALLOW description of protein synthesis</p> <p>ALLOW removal of leader sequences, packaging into vesicles</p>

Question			Answer	Marks	Guidance
7	(b)	(i)	<p>K = (R)ER / ribosome ✓</p> <p>(VSVG- GFP) fluorescence is, highest / present at 0 min, at site of synthesis ✓</p> <p>OR</p> <p>(VSVG- GFP) fluorescence declines rapidly as proteins move, through / from, K ✓</p> <p>L = Golgi ✓</p> <p>(VSVG- GFP) fluorescence increases as K decreases so protein moved to L which is next in sequence</p> <p>OR</p> <p>(VSVG- GFP) fluorescence lasts longer so protein being modified ✓</p> <p>M = plasma / cell <u>surface</u> membrane ✓</p> <p>(VSVG- GFP) fluorescence, equals total curve / declines at the same level as total, so M is where protein is secreted ✓</p>	6	IGNORE ref to vesicles
		(ii)	answer in the range 135 – 145 (minutes) ✓	1	
	(c)		<p>movement of (secretory) vesicles requires microtubules ✓</p> <p>(so) no movement of vesicles (containing VSG-GFP) to , plasma / cell surface , membrane ✓</p> <p>movement , to / through the , Golgi must be, via a different mechanism / not involving microtubules ✓</p>	2 max	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2017

